

SKG SPARE PARTS

STRUCTURE

2 - 11



CABIN

12 - 21



BI-PARTING DOORS 22 - 30



SWING DOORS 31 - 42

31 - 42



ELECTRICS

43 - 79



DRIVE MACHINE

80 - 95



All prices in EURO net excl. VAT, changes and errors accepted.

Metallschneider GmbH • Mühlenfeld 22 • 33154 Salzkotten • Phone +49(0)2948 94800 • Fax 49(0)2948 948024

skg-lifts.de

Installation box (standard)

for upper/middle/lower structure part



TA 100 set



Installation box for ISO-MAX 750/1000

for upper structure element



TA 104 set



Installation box (standard)

for middle structure part



TA 101 set



Installation box for ISO-MAX 750/1000

for structure element 2000 mm



TA 105 set



Installation box for lifts with safety gear

for upper/middle/lower structure part



TA 102 set



Installation box for ISO-MAX 750/1000

for structure element 1000 mm



TA 106 set



Installation box for lifts with safety gear

for middle structure part



TA 103 set



Installation box for ISO-MAX 500

for upper/middle/lower structure part



TA 107 set



Installation box for ISO-MAX 500

for middle structure part 2000 mm



TA 108 set



Holding bracket for anti-slip device

type Bode

TA 809 piece



Overspeed governor

standard

TA 814 piece



Anti-slip device for overspeed governor

type Jungblut

TA 810 piece



Overspeed governor

with anti-slip device

TA 813 piece



Electrical remote release

for 128 DLS

TA 812 piece



Anti-slip device for overspeed governor

AS 24 V DC
type Bode

TA 808 piece



Electrical remote release

for Jungblut-HJ 200

TA 811 piece



Pulley supporter galvanized
2 mm

individual perforated

TA 212 piece



Guide rail 70 x 65 x 9 mm

for ISO-MAX

TA 208 m



Machine supporter galvanized
3 mm

individually perforated

TA 211 piece



Standard door guide rail

TA 213 piece



Guide rail 45 x 45 x 5 mm

rolled

TA 206 m



Counterweight guide rail

for riveting

TA 205 m



Guide rail 45 x 45 x 5 mm

drawn

TA 207 m



Counterweight guide rail

for bolting

TA 205.1 m



Corner angle 3 mm (standard)

for riveting

TA 209 m



Structure bracket

diagonal

TA 204 piece



Corner angle 3 mm

for bolting

TA 210.1 m



Structure bracket

front and rear side

TA 201 piece



Corner angle 4 mm

for bolting

TA 210 m



Structure bracket (hat profile)

for standard structure
left and right side

TA 202 piece



Angle plate

for cabin traverse

TA 200 piece



Structure bracket (hat profile)

for ISO-MAX structure

TA 203 piece



**Clamp plate 25 x 40 x 4 mm
standard**

cranked



TA 803 piece

Buffer 80 x 80 mm



TA 807 piece

Clamp plate 50 x 50 x 3 mm

stamped



TA 802 piece

Buffer 100 x 80 mm



TA 807.1 piece

Slide clamp 40 mm

for ISO-MAX structure with T45 rail



TA 804.1 piece

**Ladder holding device
in stainlees steel 1.4301**

for wall fixing



TA 806 piece

Slide clamp 60 mm

for ISO-MAX structure with T70 rail



TA 804 piece

Safety bar

TA 800.1 for 20 mm wide hat profile
TA 800 for 30 mm wide hat profile



piece

Retiring cam EMT 14

TB 201 piece



Circuit board

for retiring cam EMT 15

TB 202 piece



Retiring cam VB 19.14

TB 201.1 piece



Guide shoe 100 mm with insert
for 5 mm guide rail

for goodslifts up to 500 kg capacity

TB 107.1 piece



Circuit board

for retiring cam EMT 14

TB 203 piece



Guide shoe 140 mm with insert
for 9 mm guide rail

for goodslifts and ISO-MAX 750/1000

TB 107 piece



Retiring cam EMT 15

TB 200 piece




Guide shoe 140 mm with insert
for 9 mm guide rail

for passenger lifts PA 300 and PM 225

TB 108 piece



Guide shoe with insert 14,5 mm



TB 102 piece

Car guide shoe angle standard

for the counterweight side



TB 115 pair

Standard car guide shoe with insert

- TB 119.1 for 140s installation side
- TB 119.2 for 160s installation side
- TB 119.3 for 180s installation side



piece

Guide shoe insert 5,2 mm



TB 101 piece

Car guide shoe for counterweight with insert

- TB 100 center mounted
- TB 100.1 mounted on the left
- TB 100.2 mounted on the right



piece

Guide shoe insert 100 mm

for 5 mm guide rail



TB 104 piece

Car guide shoe with insert standard

for the counterweight side



TB 119 piece

Guide shoe insert 140 mm

for 5 mm guide rail



TB 105 piece

Guide shoe insert 140 mm

for 9 mm guide rail

TB 106 piece



Holding angle for guide shoe

for undercounter lift
110s side
50s collar
right and left

TB 113 pair



Holding angle standard

for car guide shoe
110s side

TB 112 piece



Magnet holder incl. magnets

for AS controller

TB 800.1 piece



Holding angle

for car guide shoe
140s side

TB 112.1 piece



Magnet holder for relay controller
incl. angle and magnets

for 110 - 220 sides

TB 800 piece



Holding angle

for car guide shoe
160s side

TB 112.2 piece



Switch cam

for AS 121

TB 801 piece



Fixed retiring cam

for ISO-A with door lock TV 3074

TB 207 piece



Spring axle

for roller shutter 20 kg
please indicate the length


TB 307 piece



Exchange roller shutter plastic

up to 800 mm

TB 300 piece



Guide rail for roller shutter aluminium

TB 307.0800 up to 800 mm
TB 307.1000 up to 1000 mm
TB 307.1200 up to 1200 mm

pair



Exchange roller shutter aluminium

TB 301 up to 800 mm piece
TB 303 up to 1000 mm piece
TB 305 up to 1200 mm piece



Guide rail for roller shutter stainless steel

TB 308.0800 up to 800 mm
TB 308.1000 up to 1000 mm
TB 308.1200 up to 1200 mm

pair



Exchange roller shutter stainless steel

TB 302 up to 800 mm piece
TB 304 up to 1000 mm piece
TB 306 up to 1200 mm piece



Holding plate

for roller shutter switch

TB 116 piece



Set of bolts and spring

for cabin drop bar

TB 309 set



Catch roller

for safety gear

TB 109 piece



Set of bolts and springs

for reinforced cabin drop bar

TB 310 piece



Upper roll with bolt

for fixed lattice gate


TB 403 piece



Handle for roller shutter

in stainless steel

TB 111 piece



Lower roll with bolt and bearing

for turnable lattice gate

TB 402 piece



Cabin apron

up to cabin width ≤ 1000 mm

TB 110 piece



Guide block with bolt

for fixed lattice gate

TB 404 piece



Door lock TV 3074 right



TC 100 piece

Door lock TV 90 right



TC 110 piece

Door lock TV 3074 left



TC 102 piece


Door lock TV 90 left



TC 112 piece

Door lock TV 3074 right

for units with bi-parting cabin door



TC 114 piece

Door lock TV 90a right



TC 111 piece

Door lock TV 3074 left

for units with bi-parting cabin door



TC 115 piece

Door lock TV 90a left



TC 113 piece

Door lock DL1 right

replacement for door lock DLK 40

TC 104 piece



Door rope pulley left

TC 806 piece



Door lock DL1 left

replacement for door lock DLK 40

TC 104.1 piece



Door rope pulley right

TC 807 piece



Door contact bridge RZ

TC 201 piece



Door rope Ø 3 mm

TC 808 m



Door contact RZ

TC 202 piece



Door rope set Ø 3 mm

for doors up to 1200 mm height

TC 810 set



Door rope clamp

for Ø 3 mm rope



TC 809 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 194 mm,
on installations with bi-parting
cabin door and retiring cam



TC 200.3 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 144 mm
standard



TC 200 piece

Counterpart left for lock TV 90 and TV 90a

incl. contact bridge RZ



TC 204 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 164 mm
on installations with retiring cam



TC 200.1 piece

Counterpart right for lock TV 90 and TV 90 a

incl. contact bridge RZ



TC 205 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 174 mm
on installation with bi-parting cabin door



TC 200.2 piece

Door handle for bi-parting doors in aluminium

door width up to 1000 mm



TC 814 piece

Door release key

Standard

length 200 mm

TC 800 piece



Door guide shoe 41 x 41 x 5 m

for door E120

TC 805 piece



Door release key

length from 200 mm

TC 800.1 piece



Roller lever with 45 mm axle length

for door lock TV 3074

TC 105 piece



Buffer for bi-parting doors

15 x 8,5 M 4

TC 811 piece



Roller lever with 77 mm axle length

for door lock TV 3074a

TC 106 piece



Door guide shoe

Ø 27 mm

TC 804 piece



Roller lever with angle axle

for door lock TV 90 and 90a

TC 108 piece



Door release aperture cover

plastic



TC 802 piece

Door release aperture cover

PG 9



TC 801.1 piece

Door release aperture cover

PG 13,5



TC 801 piece

Door motor

with holding device and chain wheel



TC 813 piece

Door lock AV 15 right

with fail safety device in IP41



TD 119 piece

Door lock AV 15 left

with fail safety device in IP41



TD 118 piece

Door lock AV 20 right

with fail safety device



TD 103 piece

Door lock AV 20 left

with fail safety device



TD 102 piece

Door lock AV 21 right



TD 101 piece

Door lock AV 21 left



TD 100 piece

Door lock AV 25 right

with fail safety device



TD 107 piece

Door lock *AV* 25 left

with fail safety device



TD 106 piece

Roller lever for bracket SKG

for swing door with divertor device
axle 30 mm



TD 114 piece

Roller lever for bracket SKG

for ISO-MAX
axle 52 mm



TD 114.1 piece

Roller lever for bracket SKG

for ISO-D standard
axle 67 mm



TD 114.2 piece

Roller lever for bracket SKG

for door lock TV 3074a, swing door with diverter
device or bi-parting cabin door
axle 77 mm



TD 114.3 piece

Roller lever for bracket SKG

for ISO-D with fixed lattice gate
axle 110 mm

TD 114.4 piece



Door catch

for swing doors and car doors
up to 1200 mm height

TD 814 piece



Roller lever for bracket AY 03

TD 110 piece



Door catch

for swing doors over 1200 mm height

TD 815 piece



Roller bracket AY 03

TD 108 piece



Door closer for swing doors

as exchange

TD 810 piece



Roller bracket SKG

TD 109 piece



Door closer set for swing doors

for additional installation

TD 811 set



Bracket for door lock

TD 813 left
TD 812 right



piece

Door handle for swing door

polyamide



TD 807 piece

Door handle for swing door

stainless steel



TD 808 piece

Door hinge stainless steel

90 x 160 x 3 mm



TD 824 piece

Door contact AZ 07 with bridge

for swing door



TD 202 piece

Door contact AZ 07 with bracket and bridge

for swing door



TD 202.1 piece

Door contact bridge AZ 07 with bracket

for swing door



TD 202.2 piece

Door contact AZ 15 with bridge

waterproof IP67



TD 203 piece

Door contact AZ 01

for the standard machine room door

TD 201 piece



Door contact AZ 01 with bracket

for the standard machine room door

TD 201.1 piece



Door contact AZ 01 with bracket

for the machine room door E120

TD 201.2 piece



Reset magnet switch TRA 1300

emergency release

TD 821 piece



Sash lock with key for the machine room door

chromed and straight

TD 804 piece



Sash lock with triangular mechanism for the machine room door

chromed and straight

TD 804.1 piece



Sash lock with triangular mechanism for the machine room door

chromed and cranked

TD 806 piece



Sash lock with triangular mechanism for the machine room door

steel and cranked

TD 806.1 piece



Simultaneous locking cylinder
for KABA locks

incl. 3 keys

TD 704 piece



Bascule lock

TD 823 piece



Semi profile cylinder 30 mm

incl. 3 keys

TD 700 piece



Standard bolt lock

TD 817 piece



Semi profile cylinder 40 mm

incl. 3 keys

TD 701 piece



Catch lock with bolt

TD 818 piece



Semi profile cylinder 60 mm

incl. 3 keys

TD 702 piece



Catch lock
for profile cylinder

CH-Norm

TD 819 piece



Catch lock for KABA-cylinder


CH-Norm

TD 820 piece



Printed circuit board PL 102 A

TE 100 piece




Bolt lock for KABA-cylinder

TD 822 piece



Printed circuit board PL 102 A 2006

TE 100.1 piece



Divertor device Standard for ISO-D


installation side 140 mm

TD 204.1 piece



Printed circuit board PL 102 C

TE 134 piece



Divertor device for ISO C/D


installation side 140 mm at door lock TV 90

TD 204 piece




Printed circuit board PL 102 C 2006

TE 135 piece




Printed circuit board
PL 10 A

TE 101 piece



Printed circuit board
PL 10 A 2006


TE 101.1 piece



Printed circuit board
PL 11

3 stops


TE 103 piece



Printed circuit board
PL 11

4 stops


TE 104 piece



Printed circuit board
PL 11

1 stop


TE 102.1 piece



Printed circuit board
PL 11

5 stops


TE 105 piece



Printed circuit board
PL 11

2 stops


TE 102 piece



Printed circuit board
PL 11

6 stops


TE 106 piece



Printed circuit board
PL 17


travel time monitoring

TE 107 piece



Switching amplifier
SKT1


TE 129 piece



Printed circuit board
PL 17 A

blink board
timer

TE 107.1 piece



Voltage balancer 24 V DC
with LED

24 V DC output
24 V AC/DC input

open version

TE 804 piece



Printed circuit board
PL 14 B

time relay

Please indicate the capacitance of the capacitor.

TE 108 piece




Phase sequence relay

TE 313 230 V piece
TE 313.1 400 V piece



Printed circuit board
PL 15

TE 138.1 piece



Multifunction relay

TE 170 piece



Relay series 40 / 24 V DC

type 41.52.9.024.0000



TE 109.2 piece

Relay series 55 / 24 V AC

type 55.34.8.024.0050



TE 109.11 piece

Relay series 40 / 24 V AC

type 41.52.8.024.0000



TE 109.1 piece

Relay series 55 / 230 V AC

type 55.34.8.230.0050



TE 109.41 piece

Relay series 40 / 230 V AC

type 41.52.8.230.0000



TE 109.3 piece

Relay series 55 / 48 V AC

type 55.34.8.048.0040



TE 109.31 piece

Relay series 40 / 48 V AC

type 40.52.8.048.0000



TE 109.4 piece

Relay series 55 / 24 V DC

type 55.34.9.024.0040



TE 109.21 piece

Relay socket

series 55



TE 109.50 piece

Ejection of relay socket

series 40 high



TE 109.54 piece

Ejection of relay socket


series 55



TE 109.51 piece

Varistor

6 - 24 V AC/DC



TE 109.55 piece

Relay socket


series 40



TE 109.52 piece

Varistor

28 - 60 V AC/DC



TE 109.56 piece

Ejection of relay socket

series 40 low



TE 109.53 piece

Varistor

110 - 240 V AC/DC



TE 109.57 piece

Relay Module

4 times 24 V DC



TE 109.104 piece

Pulse relay

TE175 24 V AC / 12 V DC
TE175.1 230 AC / 115 DC

piece



Off-switch

attachable on TS35
3 closer



TE 173 piece

Motor protection switch MS 116

TE 110 0,63 A
TE 110.1 1,0 A
TE 111 1,6 A
TE 112 2,5 A
TE 113 4,0 A
TE 113.1 6,3 A
TE 113.2 10,0 A
TE 113.3 16,0 A

piece



example

Control switch

attachable on TS35
1 NC and 1 NO



TE 171 piece

Auxiliary contact block for MS116

front side installation

TE 110.50 piece



Control button

attachable on TS35
1 NC and 1 NO



TE 172 piece

Auxiliary contact block for MS116

lateral installation

TE 110.51 piece



Power release switch ASM

type AA1
230 V AC



TE 128 piece

BBS Circuit breaker S 261

TE 118.1 6 A
TE 118.2 10 A
TE 118.3 16 A



example

piece

Main contactor AF9 30-10

with auxiliary contact block CA4 - 22M

TE 114.11 24-60 V AC
TE 114.12 48-130 V AC
TE 114.13 100-250 V AC
TE 114.14 250-500 V AC



example

piece

NEOZED fuses

TE 119 2 A
TE 119.1 4 A
TE 119.2 6 A
TE 119.3 10 A
TE 119.4 16 A



piece

Motor protection relay TA25

TE 140	1,0 A	TE 140.6	5,0 A
TE 140.1	1,4 A	TE 140.7	6,5 A
TE 140.2	1,8 A	TE 140.8	8,5 A
TE 140.3	2,4 A	TE 140.9	11,0 A
TE 140.4	3,1 A	TE 140.10	14,0 A
TE 140.5	4,0 A	TE 140.11	19,0 A



example

piece

Screw cap 16 A

TE 120 piece



ABB Circuit breaker S 201 K 2


2 A



TE 118 piece

Fuse holder
for fuses 5 x 20 mm

TE 122 piece



Fuses 5 x 20 MT

TE 123	1,25 A
TE 124	2 A
TE 124.1	200 mA
TE 124.2	315 mA
TE 124.3	1 A
TE 124.4	10 A

piece

example



Isolation transformer 115 VA

prim. 230 V
sek. 22/48 V

TE 160 piece



Isolation transformer 190 VA

type F

TE 125 piece



Isolation transformer 115 VA

prim. 230 V
sek. 22/48 V / 24V DC

TE 161 piece



Transformer 25 VA

TE 126 piece



Isolation transformer 300 VA

type MAX
prim. 230 / 400 V
sek. 22 V / 230 V / 24 V DC

TE 131 piece



Isolation transformer 75 VA

TE 127 piece



Isolation transformer 250 VA

prim. 230 V / 400 V
sek. 230 V / 48 V / 24 V AC

TE 162 piece



Locking device SA3

TE 141 piece



Set of connectors for AS3 controller

TE 320.1 set



Mirco-processor controller SKG-AS3

without casing

TE 150.1 piece



Bridging relay for AS3

type 44.62.9.024.0000

TE 150.52 piece



Power relay for AS3

type 62.33.9.024.0300

TE 150.50 piece



Locking relay for AS3

type 40.31.9.024.0000

TE 150.53 piece



Reversing relay for AS3

type 55.32.9.024.0000

TE 150.51 piece



Set of fuses for AS3 controller

TE 320 set



Push button board SKG-ES2
for AS3 controller

TE 250.1 piece



SKG Light box for AS 3

TE 822 piece



Contact transmitter

for AS3
with LED

TE 251 piece



SKG Service box AS 3

TE 820 piece



Push button aperture for AS3

TE 253 piece



Bluetooth adapter BTM-1

AS 3

TE 824.1 piece



Bus cable 10-strands

10 x FBL 28 grey

TE 321 m
TE 321.1 halogen-free m



SKG-Switchbox for AS3

sixfold

TE 823 piece



Power supply

power supply 24 V 1A

TE 823.1 piece



Push button element CLP

TE 208 piece



Light signal

AP green 24 V

TE 823.2 piece



In-use-light element AL5

lamp socket

TE 210 piece



Electric gong with casing

TE 841 piece



In-use-light element QXJN KS

luminous fitting without cap

TE 211 piece



Push button element CTLP

illuminated switch

TE 207 piece



Push button element ATL

TE 213 piece



Push button element QXJT

without bezel



TE 214 piece

Push button silver



TE 254 piece

In-Use-light element KRN



TE 226 piece

Push button element KRT



TE 227 piece

Key switch KRSSA 18 E



TE 231 piece

Key switch element QXJSSDGA17E



TE 234 piece

Key switch J-KU 1-1R/2

without cylinder



TE 235 piece

Emergency stop button




TE 236 piece

Stop switch QXJK



TE 232 piece

Contactor MTI



TE 256 piece


In-use-light element EL9R

lamp socket



TE 218 piece

Latching element MFL



TE 257 piece

Push button element ETLR

contactor



TE 216 piece

Buzzer 24 V AC



TE 219 piece

Push button element ETR



TE 230 piece

Contactor BT

1 opener and 1 closer



TE 233 piece

Contactor BTI

2 closers

TE 259 piece



Bulb KTL-T5,5K

30 V 40 mA

TE 222 piece



Contactor BTL

1 opener, 1 closer and lamp socket

TE 258 piece



Bulbs W 2 x 4,6 d

TE 228 12 V 80 mA
TE 229 24 V 40 mA

piece



example

Lamp tool LZ

TE 225 piece



LEDs with plug-base

TE 240 type L5.5K 24 AC WS = white
TE 239 type L5.5K 24 AC RT = red
TE 242 type L5.5K 24 AC GN = green


piece



Bulb BA9S

24 V 2 W

TE 220 piece



LED with plug-base

type LD9 24 V AC/DC WS
for relay controller

TE 243 piece



Number plates for KRT and KRN

TE 271.1	1	TE 271.8	8
TE 271.2	2	TE 271.9	9
TE 271.3	3	TE 271.10	0
TE 271.4	4	TE 271.11	K
TE 271.5	5	TE 271.12	U
TE 271.6	6	TE 271.13	E
TE 271.7	7	TE 271.14	Occupied

Other markings on request.

piece



example

Flat caps for push button element QJNE

TE 246	green
TE 246.1	clear
TE 246.2	yellow
TE 246.3	blue
TE 246.4	red

piece



Number plates for QXJT and QXJN KS

TE 224.1	1	TE 224.8	8
TE 224.2	2	TE 224.9	9
TE 224.3	3	TE 224.10	0
TE 224.4	4	TE 224.11	K
TE 224.5	5	TE 224.12	U
TE 224.6	6	TE 224.13	E
TE 224.7	7	TE 224.14	Occupied

Other markings on request.

piece




example

Push button board PL 2017

TE 200.20.27	2 stops	piece
TE 201.20.27	3 stops	piece
TE 202.20.27	4 stops	piece
TE 203.20.27	5 stops	piece
TE 204.20.27	6 stops	piece

example



Bezels for QXJT and QXJN KS

TE 223	green
TE 223.1	clear
TE 223.2	yellow
TE 223.3	blue
TE 223.4	red

piece



Intercom station type WSK-T2

fitting without front plate

TE 803 piece



Bezels for KRT and KRN

TE 270.1	green
TE 270.2	yellow
TE 270.3	red

piece



Magnet switch

type MAK-4214-P-3

TE 318 piece



Magnet switch BN65-RZv

TE 336 piece



Switch R1-AR

1 opener
TE 303 with spring return
TE 303.1 without spring return

piece



Inductive proximity switch

type IFL15-300M-10P

TE 312.1 piece



Switch R1-AER

1 opener and 1 closer

TE 304 piece



Direction switch

type AS 121-11/11

TE 300 piece



Roller shutter switch

type ES02-11Y

TE 305 piece



Direction switch

type AS 121-11/11

TE 301 piece



Roller shutter switch

type T4K 236-11Z

TE 306 piece



Position switch ES 01-11Z

type ENK-U1Z Riw

TE 307 piece



Position switch

type ZR 336-02z

TE 316 piece



Position switch ES 01-01Z

type TR 336-01Z/ES 01-01Z-1705

TE 308 piece



Position switch

TE 330 type ZR 256-02Z
TE 330.1 type TR 256-02Z

piece



example

Position switch

TE 315 left Z3K 236-11Z
TE 315.1 right Z3K 236-11Z U180

piece



Position switch

type ZR236-11zr-1816

TE 334 piece



Position switch

TE 331 left T3K 236-11Z
TE 331.1 right T3K 236-11Z U180

piece



Position switch

type TR 236-11z

TE 317 piece



Contact for bi-parting cabin door

type T4K 236-11z



TE 137 piece

Main switch

lockable



TE 174 piece

Position switch

type ZK4 236-11z



TE 333 piece

Main current limit switch

type D-A3Z Rw



TE 311 piece

Position switch

type T4VH 336-11z



TE 335 piece

Single direction magnet

type 43 111-05D00 24 V



TE 800 piece

Stop switch



TE 337 piece

Infrared-projector fitting element for LSE 33 / 66

1x ISS - 250 W - 230 V



TE 805.2 piece

Overload device DMS

Transmitter with evaluation device



TE 806 piece

Reflector for safety light barrier

type PTKS 20x40



TE 844 piece

Horn

24 V



TE 842 piece

Safety switching device

type MSI-TR1



TE 845 piece

Safety light barrier

type SRK 96M/P-1210-T2-29



TE 843 piece

Emergency power supply



TE 840 piece

Switching power supply

24 V



TE 846 piece

Emergency battery

12 V / 7,2 Ah



TE 847 piece

Brake incl. rectifier

for machine BO 18.24

TF 504 piece



Brake 32 Nm incl. rectifier

for drive units AG 550 and AG 600

TF 322 piece



Brake 9 Nm incl. rectifier

for drive units AG 8.30 - 45.24 and AG 100-200

TF 301 piece



Brake incl. rectifier

for machine GFC 32.24 1B

TF 340 piece



Brake 16 Nm incl. rectifier

for drive units AG 300 to AG 400

TF 302 piece



Brake incl. rectifier

for machine GFC 32.24 2B

TF 342 piece



Brake 20 Nm incl. rectifier

for drive units AG 65.24 to AG 85.24

TF 321 piece



Brake incl. rectifier

for machine GFC 45.24 2B

TF 341 piece



Brake incl. rectifier

for machine GFC 90.25 2B

TF 327 piece



Brake rotor Ø 95 mm

for disc brake 20 Nm
for drive units AG 65.24 to AG 85.24

TF 321.2 piece



Brake rotor Ø 74,42 mm

for drive unit BO 18.24

TF 504.1 piece



Brake rotor Ø 114,7 mm

for disc brake 32 Nm
for drive units AG 550 and AG 600

TF 322.2 piece



Brake rotor Ø 76,97 mm

for disc brake 9 Nm
for drive units AG 8.30 to AG 45.24

TF 301.3 piece



Brake rotor Ø 77,8 mm

for drive unit GFC 32.24 1B

TF 340.2 piece



Brake rotor Ø 94,6 mm

for disc brake 16 Nm
for drive units AG 300 to AG 400

TF 302.2 piece



Brake rotor set Ø 77,8 mm

for drive unit GFC 32.24 2B

TF 342.2 set



Brake rotor set Ø 94,6 mm

for drive unit GFC 90.25 2B



TF 327.2 set

Brake rotor set Ø 95,8 mm

for drive unit GFC 45.24 2B



TF 341.2 set

Brake release lever

for brake 16 Nm



TF 302.1 piece

Brake release lever

for brake 32 Nm



TF 322.1 piece

Brake release lever

for drive unit GFC 32.24 1B
and GFC 32.24 2B



TF 342.1 piece

Brake release lever

for drive unit GFC 45.24 2B



TF 341.1 piece

Brake release lever

for drive unit GFC 90.25 2B



TF 327.1 piece

Rectifier for disc brake

for drive unit BO 18.24



TF 505 piece

Rectifier for disc brake

for 9 Nm for drive units
AG 8.30 - 85.24 to GFC 32.24 - 45.24



TF 301.2 piece

Rectifier for disc brake


for drive units AG 50 to AG 600



TF 316 piece

Divertor unit

for 2 chains 5/8 x 3/8"
incl. chain weels and buffer



TF 719 piece

Chain wheel 5/8x3/8" Z20

boss Ø 25 mm



TF 715.3 piece

Chain wheel 5/8x3/8" Z38

TF 715 boss Ø 35 mm
TF 715.1 boss Ø 40 mm
TF 715.2 boss Ø 45 mm



piece

Hub for traction sheave, cast

TF 406.1 diameter Ø 35 mm
TF 406 diameter Ø 40 mm



piece

Hub for traction sheave, steel

TF 407 diameter Ø 30 mm
TF 407.1 diameter Ø 35 mm
TF 407.2 diameter Ø 40 mm



piece

Hub for traction sheave, steel

TF 407.3 diameter Ø 45 mm
TF 407.4 diameter Ø 50 mm
TF 407.5 diameter Ø 55 mm



piece

Rope anchorage

for rope Ø 5,0 mm



TF 712 piece

Rope anchorage

for rope Ø 6,0 mm



TF 712.1 piece

Rope anchorage

for rope Ø 6,5 mm



TF 712.2 piece

Rope anchorage with clamp

for rope Ø 6,0 mm
Australian standard



TF 721 piece

Rope anchorage with clamp

for rope Ø 8,0 mm
Australian standard



TF 721.1 piece

Rope

- TF 706 Ø 5,0 mm m
- TF 707 Ø 6,0 mm m
- TF 708 Ø 6,5 mm m



Rope Ø 6 mm Warrington



TF 707.1 m

Rope clamp

- TF 709 for rope Ø 5,0 mm piece
- TF 709.1 for rope Ø 6,0 mm piece
- TF 709.2 for rope Ø 6,5 mm piece



Chain 5/8 x 3/8“

TF 700 standard 5/8 x 3/8“ m
TF 701 ISO-MAX 5/8 x 3/8“ 50 HV m



Chain joint for chain 1181

for automatic door

TF 703.3 piece



Chain joint for chain

5/8 x 3/8“, standard

TF 703 piece



Chain endpiece

for chain 5/8 x 3/8“ standard

TF 720.2 piece



Reinforced chain joint

for chain 5/8 x 3/8“ 50 HV for ISO-MAX

TF 703.2 piece



Chain endpiece ISO-MAX

for chain 5/8 x 3/8“ 50 HV

TF 720 piece



Chain 1181

for door drive, bi-parting door

TF 702.1 m



Chain endpiece ISO-MAX

for chain 5/8 x 3/8“ 50 HV with thread
for chain mounting on structure

TF 720.1 piece



Traction sheave Ø 250 mm

for 2 ropes

TF 400 piece



Traction sheave Ø 350 mm

for 4 ropes

TF 405 piece



Traction sheave Ø 300 mm

for 2 ropes

TF 401 piece



Pulley Ø 200 mm

for 1 rope

TF 500 piece



Traction sheave Ø 300 mm

for 3 ropes

TF 403 piece



Pulley Ø 250 mm

for 1 rope

TF 502.1 piece



Traction sheave Ø 300 mm

for 4 ropes

TF 404 piece



Pulley Ø 200 mm

for 2 ropes

TF 501 piece



Pulley Ø 250 mm

for 2 ropes

TF 502 piece



Pulley Ø 250 mm

for 2 ropes for units with more than 500 kg capacity

TF 503.2 piece



Pulley Ø 250 mm

for 3 ropes

TF 503 piece



Pulley Ø 250 mm

for 4 ropes

TF 503.1 piece



Plummer block UCP 208

Ø 40 mm

TF 601 piece



Plummer block UCP 211

Ø 55 mm

TF 602 piece



Flange bearing UCFL 210

TF 602.1 piece



Flange bearing SBPFL 208

TF 602.2 piece



SKG

Metallschneider GmbH
Mühlenfeld 22
33154 Salzkotten-Verlar
GERMANY

phone +49 (0) 2948 9480-0
fax +49 (0) 2948 9480-24

info@metallschneider.de
www.metallschneider.de

